
Fig. 6: Vacuum Diagram for 2.0L Carb. with M/T (3 of 3) Courtesy of AMERICAN HONDA MOTOR CO., INC.

1989 Honda Accord LX



- Intake Air Temp. Control Check Valve
- 2. Intake Air Control Diaphragm
- Cranking Leak Solenoid Valve
- 4. Thermovalve "C"
- Check Valve "E"
- 6. Thermovalve "B"
- 7. Air Jet Controller
- 8. Air Bleed Valve "A"
- Air Bleed Valve "B"
- 10. Thermovalve "A"
- 11. Feedback Control Solenoid Valve
- Oxygen Sensor
- 13. Choke Opener
 14. Primary Slow Mixture Cut-Off
 Solenoid Valve
- 15. Air Control Valve "B"
- 16. Catalytic Converter
- 17. Fast idle Unloader
- 18. Throttie Controller
- 19. Frequency Solenoid Valve "B"
- Constant Vacuum (CV) Generator

- Frequency Solenoid Valve "A"
- Check Valve "A"
- Air Control Valve "A"

- 24. Check Valve "B" 25. EGR Valve 26. EGR Control Valves "A" & "B"
- 27. Anti-Afterburn Valve
- 28. Anti-Afterburn Control Solenoid Valve
- Vacuum Holding Solenoid Valve
- Air Suction Valve
- 31. Air Suction Control Solenoid Valve
- Vacuum Switch "A"
- Air Leak Solenoid Valve
- Vacuum Switch 'B'
- A/C Idle Boost Solenoid Valve
- 36. Dashpot Check Valve
- Purge Control Valve
- Charcoal Canister
- 39. Two-Way Valve